

CERN Contribution to the Future v Programs

FNAL, September 23th, 2014 Sergio Bertolucci CERN



... CERN and Europe long history of Neutrino Physics: last on the long series of neutrino facilities the CNGS

- Short Baseline Neutrino physics and infrastructure
 Long Baseline Neutrino physics and infrastructure
 Generic R&D on future Neutrino technologies (detectors, beams, ..)
- ... the agreed 2013 European Strategy: "Rapid progress in neutrino oscillation physics, with significant European involvement, has established a strong scientific case for a long-baseline neutrino programme exploring CP violation and the mass hierarchy in the neutrino sector. CERN should develop a neutrino program to pave the way for a substantial European role in future long-baseline experiments. Europe should explore the possibility of major participation in leading long-baseline neutrino projects in the US and Japan."


Short Baseline

Triggered by:

- Sterile neutrino searches (ICARUS and NESSiE proposal)
- Test facility for new technologies (2 phases LAr TPC LAGUNA proposal, Mind detector,)




CERN Neutrino Facility (CENF)




CENF: Primary p-beam characteristics


- Beam time structure similar to CNGS
- Primary beam momentum 100 GeV/c
- Fast extraction: beam excitation via injection kicker in LSS1 and extraction in LSS2
- Novel solution tested for low intensities during recent beam tests
- ~720 kJ/pulse → ~200 kW on target



CENF: Neutrino beam optimisation

- FLUKA multi-parameter optimisation
- 5 GeV pion focusing central ν_{μ} energy ~1.8 GeV
- Target inside horn, followed by reflector





Far detector:


$$^{\sim}1$$
M ν_{μ} /y

Rates for 1-year (4.5 10¹⁹ pot), 1kt, E<5 GeV

	neutrino mode		antineutrino mode	
	Far detector (1600m)	Near det (500m)	Far detector (1600m)	Near det (500m)
ν _μ <i>CC</i>	2.0 × 10 ⁶	2.3x 10 ⁷	1.9 × 10 ⁵	2.1× 10 ⁶
$\overline{oldsymbol{ u}}_{\mu}$ CC	5.5 × 10 ⁴	5.9× 10 ⁵	$\boxed{5.6\times10^5}$	6.1 × 10 ⁶
v _e CC	1.2 × 10 ⁴	1.4x 10 ⁵	3.0×10^3	3.4×10^4
v _e CC	8.9×10^2	1.0× 10 ⁴	3.4×10^3	3.8×10^4

Large event statistics at both positions will allow a systematic study of \mathbf{v}_{μ} and \mathbf{v}_{e} topologies, both in neutrino and antineutrino mode!!

CENF: Neutrino Beam



Secondary beam (target, decay pipe,...) engineering design very advance and will be finased by the end of 2014, ready for a future eventual implementation if requested!

- 1) An LOI for a CENF short baseline was presented in March 2013 to the CERN directorate
- 2) Cost of the Facility estimated to ~70 MEuro
- 3) This generated a lot of discussion inside the community and inside CERN
- 4) Decision taken **not** to implement it now as a Short Baseline Neutrino facility at CERN
- 5) But decision to bring all implementation studies to maturity, ready for an eventual implementation
- 6) Interest for short baseline moved to the US- FNAL neutrino facilities
- 7) Implement the near detector facility as an R&D platform with charged beams possibilities


LBNO Long Baseline

Triggered by:

- the LBNO EU FP7 design study for a ν beam pointing to Finland








CERN Neutrinos 2 PYhasalmi beam

- ▶Phase 1 : proton beam extracted beam from SPS
 - -400 GeV, max 7.0 10¹³ protons every 6 sec, ~750 kW nominal beam power, 10 μs pulse


▶Phase 2 : use the proton beam from a new HP-PS

- -50(75) GeV, 1 Hz, 2.5 10^{14} ppp, 2 MW nominal beam power, 4 μs pulse
- -alternative option: upgraded SPS


The CN2PY v-beam



HP-PS




LBNO - CN2PY v-beam optimisation




Optimisation regions: [1-2], [3-8] GeV regions corresponding to 1st and 2nd maximum of oscillaiton probability


LBNO - CN2PY v-beam design

- v-beam elements in He container to minimize the production of radioactive elements and limit corrosion effects
- Water cooled shielding blocks, remote handling of all equipment





CN2PY: Neutrino Beam



- 1) All studies presented here are part of the LAGUNA-LBNO FP7 design study EU project with CERN participation in the beam work package (final report due in summer 2014)
- 2) Cost of the beam Facility not yet estimated, as well as the infrastructure cost of the near detector facility (@ -262 m)
- 3) This beam and its infrastructure is for the moment not part of the medium term plan of CERN


ESS Long Baseline

Triggered by:

- recent idea (design study group just forming) for a

superbeam at the ESS new facility in Lund

Doubling pulse frequency → 10 MW of which 5 MW for neutrino beam



ESS Long Baseline

Triggered by:

 recent idea (design study group just forming) for a superbeam at the ESS new facility in Lund

- The ESS will be a copious source of spallation neutrons
- 5 MW average beam power in the linac
- 125 MW peak power
- 14 Hz repetition rate (2.86 ms pulse duration, 10¹⁵ protons)
- 4% duty cycle
- 2.0 GeV protons (up to 3.5 GeV with linac upgrades)
- >2.7x10²³ p.o.t/year



Given the still evolving road map on long baseline ν activities in Europe, Japan and US




CERN adopted (pragmatical) position is to support, on the short term, generic R&D on v detectors & beams and to support physics related to a v short baseline (steriles, crosssections, calibration, event reconstruction,). The goal is to assists and foster collaboration in Europe among the various v institutions, independently where a Long and/or Short v baseline(s) will be implemented



CERN Neutrino Platform


CERN Neutrino Platform





CERN Council in June 2014 has decided to implement the proposed Medium Term Plan (MTP) which for the first time (since years) contains an important allocation of resources in the next 5 years dedicated to the Neutrino CERN Platform

This will cover:

- ◆ Generic v detector R&D including large prototypes
- ◆ Design and generic R&D on v beams
- ◆ The construction of a new experimental hall dedicated to neutrinos (Nord Area extension : EHN1) with charged test beams capabilities
- ◆ The reinforcement of various Technical/Scientific groups at CERN (cryogenics, physics,) which will support the activities of the platform
- ◆ The support with detectors and components of the Short Baseline at FNAL
- Support to various design/feasibility studies on this field (NUSTORM, ESS beam,)







CERN Neutrino Platform

2014 - 2018

Neutrino detectors R&D

Preparation of 5 MOUs addenda in progress

WA104: rebuild ICARUS T600 in bldg 185 and make it ready for a FNAL beam

WA104: R&D on an AIR core muon detector (NESSiE) or eventually integrate a solenoid in the main TPC

WA105: R&D on 2 phases large LAr TPC prototypes

MIND : R&D on muon tracking detectors

LBNF : Test at CERN NA of components

CERN Neutrino Platform

Neutrino detectors R&D

2014 - 2018

MOUs preparation in progress

CERN direct contribution under evaluation:

- all logistics aspects (incl. various assembly buildings at CERN !85,182,..)
- cryostats (membrane and new ICARUS type)
- cryogenics
- cleanrooms, civil engineering
- services and utilities (CV, EL, Power Suppl., Cooling unit, gas, ...)
- controls & DAQ
- magnets and B-fields
- integration and assembly
- host for visiting collaborators (PJAS, fellows, students, scientific associates,..)
- special studies (feasibilities, particular techniques, ...)

-

MOU frame

Memorandum of Understanding

for providing a framework for developing a Neutrino Program at CERN

between

The EUROPEAN ORGANIZATION FOR NUCLEAR RESEARCH, an Intergovernmental Organization having its seat at Geneva, Switzerland, ('CERN,'), as the Host Laboratory,

on the one hand,

and

The FUNDING AGENCIES/INSTITUTIONS PARTICIPATING IN THE NEUTRINO PHYSICS RESEARCH PROJECTS AT CERN ('the Neutrino Institutions'),

on the other hand,

(collectively "the Parties")

Preamble

- (a) As endorsed by the CERN Research Board at its meeting of August 28th, 2013 and detailed in <u>Annex 1</u>, CERN has decided to develop a Neutrino Program at CERN ('the Neutrino Program') to pave the way for a substantial European role in future Long-Baseline Experiments and explore the possibility of major participation of Europe in leading Longbaseline Neutrino Projects in the United States and Japan;
- (b) The Neutrino Institutions, including possibly CERN, wish to collaborate in the research and development (R&D) and construction of prototypes, equipment and related infrastructure for the Neutrino Program and have obtained the support of their Funding Agencies to enable them to participate in the Neutrino Program;

How to get in?

- Present to the CERN SPSC a LOI or an expression of interest
- When approved we prepare together an MOU (addendum) which defines all responsibilities and resources needed
- Then a CERN experiment is created (WA104, WA105, ...), with all priviledges and requirements

https://edms.cern.ch/document/1353815

CERN Neutrino Platform

Summary:

- ✓ CERN offers a platform for Neutrino detectors R&D. This platform is now part of the CERN MTP. We will support this platform in an active way and will help WA104, WA105 and others proposals in this initial phase
- ✓ CERN will construct a large neutrino test area (EHN1 extension)
 with charged beams capabilities, available in 2016
- ✓ CERN will collaborate with FERMILAB on the design of the LBNF infrastructure
- ✓ CERN will assist the EU neutrino community in their long term common plans. For the moment CERN is not committing to any neutrino beam at CERN, in view of an agreed road map between all partners